




**Polyamide PA-12-PHL-DUO axial spirals**



**Nominal dimensions**

- AD = outer diameter in mm
- ID = inner diameter in mm  
(Production dimension)
- AL = working length in m
- AG = without/with connection threads
- KD = core diameter in mm
- L1 = axial mm
- WD = x-time windings
- BL = block length in mm
  
- AG = connection thread s = fixed
- AG = connection thread d = rotatable



## Polyamide PA-12-PHL-DUO axial spirals ●

Product No.	Type	Nominal dimensions		AL m	AG	KD mm	L1 mm	WD X-times	BL mm	Weight g/piece
		AD mm	ID mm							
4250	PA D-Spi	6	4	2.5	without	60	80	22	285	162.0
4251	PA D-Spi	6	4	5.0	without	60	80	44	570	324.0
4252	PA D-Spi	6	4	7.5	without	60	80	66	855	486.0
4253	PA D-Spi	6	4	10.0	without	60	80	88	1140	648.0
4260	PA D-Spi	8	6	2.5	without	80	80	17	290	226.0
4261	PA D-Spi	8	6	5.0	without	80	80	34	580	452.0
4262	PA D-Spi	8	6	7.5	without	80	80	51	870	678.0
4263	PA D-Spi	8	6	10.0	without	80	80	68	1160	904.0



## Polyamide PA-12-PHL-DUO axial spirals with screw joint ●

Product No.	Type	Tube AD mm	ID mm	AL m	AG	KD mm	L1 mm	WD X-times	BL mm	Weight g/piece
4270	PA D-Spi	6	4	2.5	1/8" d	60	80	22	285	286.0
4271	PA D-Spi	6	4	5.0	1/8" d	60	80	44	570	448.0
4272	PA D-Spi	6	4	7.5	1/8" d	60	80	66	855	610.0
4273	PA D-Spi	6	4	10.0	1/8" d	60	80	88	1140	772.0
4280	PA D-Spi	8	6	2.5	1/4" d	80	80	17	290	398.0
4281	PA D-Spi	8	6	5.0	1/4" d	80	80	34	580	624.0
4282	PA D-Spi	8	6	7.5	1/4" d	80	80	51	870	850.0
4283	PA D-Spi	8	6	10.0	1/4" d	80	80	68	1160	1076.0